



Finishes




Antique brass
with deco detail



Bronze with
leaf detail

ALABASTER PENDANT

Model Number — TL-ALPEND

Diameter	Max. Hanging Height	Min. Hanging Height	Height Adjustability	Lamp Holders	Max Wattage	Weight	Ceiling Rose	Height excluding Suspension
Alabaster Pendant - TL-ALPEND								
90mm	2000mm	630mm	Adjustable on site	1 - E27	20W each	3.5 Kg	80mm dia. X 25mm depth	 <p>350mm</p>



General:

Please note that the deco detail is available as standard in antique brass finish with antique brass pendant kit and silver flex. The leaf detail is available as standard in bronze finish with bronze pendant kit and gunmetal flex.

All measurements and weights are approximate - our lights are hand crafted so there will be some variation.

Made to IEC Standards designed to operate at 240V/50Hz. Certification for National Differences e.g. AS/NZS is available on request.

We recommend using only candle or golf ball style light sources in this light. We can supply suitable dimmable LED light sources.

Modifications available:

- Additional flex suspension length to increase the maximum hanging height
- Certified IP44 version available (see next page).

Call us for more information on modifications.

Packaging Information:

Please contact us for packaging information on smaller products as the box weights and dimensions are dependent on the quantity of lights in the order.

Assembly:


You will need a qualified electrician to install your light.

Our lights come with comprehensive installation instructions. They shouldn't need much maintenance, but we give you some information on that too.



IP44 ALABASTER PENDANT LIGHT

Model Number - TL-IP44ALPEND

Diameter	Hanging Height	Height Adjustability	Lamp Holders	Max Wattage	Weight	Ceiling Rose	Height excluding Suspension
IP44 Alabaster Pendant Light - TL-IP44ALPEND							
90mm	1315mm (Provided with 1m drop rod)	Order to required hanging height	1 - G9	5W	1.5Kg	100mm dia. x 25mm depth	 350mm

Differences from standard pendants:

All lamp holders in IP44 pendants are G9.

IP44 pendants are provided with drop rods in the same metalwork finish as the pendant kit. The standard drop rod length is 1m with additional lengths charged per m.

We cannot advise on what IP rating you require for your bathroom lighting; please check with your electrical contractor prior to ordering.

Made in England.

All of our lights are designed and manufactured in England by skilled craftsmen and women.

All designs are copyright to Tigermoth Lighting Ltd.

WEEE Registration Number: WEE/BU3809XD

For more information call - +44 (0) 118 984 5232
or visit – www.tigermothlighting.com

Tigermoth Lighting is a Lighting Industry Association Quality Assured Company.

